


POSITIVE CASES (ISOLATION)

Isolation: People who test positive



*If you can isolate completely separately from all household members (i.e. not sharing living spaces like bedroom, bathroom, kitchen, etc.), the 5-10 day quarantine period for household members will begin on the last day you had contact with them. If you cannot isolate completely separately, any household members who do not test positive for COVID-19 will quarantine throughout your isolation period AND their additional 5-10 days isolation since they will have contact with you throughout your isolation period (i.e. contagious period). See Close Contact trees for more clarity.

Isolation: People who test positive



I **test positive** for COVID-19 **regardless of my vaccination status** (I may be unvaccinated, I may have received my first vaccine(s), or have received my booster vaccine)

I have no **symptoms**

I have **symptoms**

I **will** wear a well-fitting mask at home around household members, at work, in public places, etc.

I **will** wear a well-fitting mask at work, in public places, etc. but **not** at home around household members.

I **cannot** wear a well-fitting mask at home around household members, at work, in public places, etc.

See other side for positive and symptomatic tree.

Stay home and isolate for 5 days from positive test date.

Stay home and isolate for 10 days from positive test date.

I do not develop symptoms during my 5 day isolation

I develop symptoms during my 5 day isolation

I do not develop symptoms during my 10 day isolation

I develop symptoms during my 10 day isolation

You may leave isolation on day 6 IF:

- Days 6-10 you continue to wear a well-fitting mask around household members, at work, in public places, etc. Follow all Washington State mask requirements after day 10.

Antigen testing is recommended on day 5. If you test positive again, continue isolating through day 10 OR test daily on days 6-10. If test result is negative between days 6-10, end isolation but continue to wear a well-fitting mask. Follow all Washington State mask requirements after day 10.

Restart 5 day isolation with day 1 being the day that symptoms began.

Isolation may end on day 6 after symptom onset IF:

- You are fever free for at least the last 24 hours without the use of fever reducing medications AND
- Other symptoms are improving AND
- Days 6-10 after symptom onset you continue to wear a well-fitting mask around household members, at work, in public places, etc. Follow all Washington State mask requirements after day 10.

Antigen testing is recommended on day 5. If you test positive again, continue isolating through day 10 OR test daily on days 6-10. If test result is negative between days 6-10, end isolation but continue to wear a well-fitting mask. Follow all Washington State mask requirements after day 10.

Leave isolation on day 11. Continue following Washington State mask requirements after day 10.

Restart 10 day isolation with day 1 being the day that symptoms began. Continue following Washington State mask requirements after day 10.

To leave isolation on day 11 after symptom onset:

- You must be fever free for at least the last 24 hours without the use of fever reducing medications AND
- Other symptoms are improving.

HOUSEHOLD-EXPOSURE CLOSE CONTACTS (QUARANTINE)

* "Completely separately" means not sharing living spaces like bedroom, bathroom, kitchen, etc. with the COVID-19 positive person in the household for the entirety of the COVID-19 positive person's 5-10 day isolation period.

** "Last exposure" is the date you were last around someone who has tested positive for COVID-19.

Quarantine: Household Close Contact who is unvaccinated



I live with someone who tested positive for COVID-19 and I am not vaccinated

I can quarantine completely separately* from the positive household member

I cannot quarantine completely separately* from the positive household member

I have no symptoms

I have symptoms

I have no symptoms

I have symptoms

Quarantine for 10 days from last exposure**. On day 5, seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Quarantine throughout household member's isolation AND for an additional 5-10 days after household contact finishes their isolation (total 15-20 days). Seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Isolate for 10 days from when symptoms began UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

* "Completely separately" means not sharing living spaces like bedroom, bathroom, kitchen, etc. with the COVID-19 positive person in the household for the entirety of the COVID-19 positive person's 5-10 day isolation period.

** "Last exposure" is the date you were last around someone who has tested positive for COVID-19.

Quarantine: Household Close Contact who is unvaccinated



I live with someone who tested positive for COVID-19 and I received my second dose of Pfizer or Moderna more than 6 months ago and I do not have my booster vaccine yet

I can quarantine completely separately* from the positive household member

I cannot quarantine completely separately* from the positive household member

I have no symptoms

I have symptoms

I have no symptoms

I have symptoms

Quarantine for 10 days from last exposure**. On day 5, seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Quarantine throughout household member's isolation AND for an additional 5-10 days after household contact finishes their isolation (total 15-20 days). Seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Isolate for 10 days from when symptoms began UNLESS:
You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

* "Completely separately" means not sharing living spaces like bedroom, bathroom, kitchen, etc. with the COVID-19 positive person in the household for the entirety of the COVID-19 positive person's 5-10 day isolation period.

** "Last exposure" is the date you were last around someone who has tested positive for COVID-19.

Quarantine: Household Close Contact who is unvaccinated



I live with someone who tested positive for COVID-19 and I received my dose of Johnson & Johnson more than 2 months ago and I do not have my booster vaccine yet

I can quarantine completely separately* from the positive household member

I cannot quarantine completely separately* from the positive household member

I have no symptoms

I have symptoms

I have no symptoms

I have symptoms

Quarantine for 10 days from last exposure**. On day 5, seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Quarantine throughout household member's isolation AND for an additional 5-10 days after household contact finishes their isolation (total 15-20 days). Seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Watch for symptoms and continue quarantining for 10 days UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

Watch for symptoms and continue quarantining for 10 days UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree

Isolate for 10 days from when symptoms began UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

Quarantine: Close Contact with booster or confirmed COVID-19 in last 90 days



I Live with someone who tested positive for COVID-19 and I have received my booster dose or I had CONFIRMED COVID-19 within the last 90 days.

I have no symptoms

May continue as normal while wearing a well-fitting mask for 10 days and monitor for symptoms. If possible, limit interactions with others. Seek testing at least 5 days after your day of last exposure*. After day 10, continue to wear a mask as required in Washington State. If you develop symptoms, seek testing as soon as possible and follow the right side of this tree.

Test negative or choose not to test

Continue monitoring for symptoms and wearing a well-fitting mask until day 11.

Test positive

Follow the "I have no symptoms" branch of the Isolation Tree.

I have symptoms

Isolate for 5 days from when symptoms began and seek testing

Test negative

Stay home until symptoms have improved and you haven't had a fever for at least 24 hours. Wear a well-fitting mask until day 11.

Test positive or choose not to test


Follow the "I have symptoms" branch of the Isolation Tree.

WORKPLACE-EXPOSURE CLOSE CONTACTS (QUARANTINE)



Quarantine: Close Contact who is unvaccinated

I'm a **close contact** to (but do not live with) someone who tested positive for COVID-19 and I am **not vaccinated**



Quarantine for 10 days from last exposure*. On day 5, seek testing. If symptoms begin at any point during quarantine, seek testing as soon as possible and refer to the "I have symptoms" branch of the Isolation Tree.

Isolate and seek testing as soon as possible.

Remain without symptoms and test negative

Remain without symptoms but test positive

Test negative

Test positive or choose not to test

Watch for symptoms and continue quarantining for 10 days UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have no symptoms" branch of the Isolation Tree


Watch for symptoms and continue quarantining for 10 days UNLESS:
 You can wear a well-fitting mask around others (at home, at work, in public places, etc.) If so, you may leave home on day 6 AND wear a well-fitting mask until day 11.
 Continue following Washington State mask requirements after day 10.

Follow the "I have symptoms" branch of the Isolation Tree

* "Day of last exposure" is the last time you were around someone who has tested positive for COVID-19. If you are a household member to someone who tested positive for COVID-19 and you cannot quarantine completely separately from them members (i.e. not sharing living spaces like bedroom, bathroom, kitchen, etc.), then your day of last exposure would be that person's last day of isolation (i.e. contagious period). This means you would quarantine throughout that person's 5-10 day isolation period AND your 5-10 day quarantine period (totaling 10-20 days in quarantine).

Quarantine: Close Contact who is unvaccinated


I'm a **close contact** to (but do not live with) someone who tested positive for COVID-19 and I received my second dose of Pfizer or Moderna more than 6 months ago and I do not have my booster vaccine yet



* "Day of last exposure" is the last time you were around someone who has tested positive for COVID-19. If you are a household member to someone who tested positive for COVID-19 and you cannot quarantine completely separately from them members (i.e. not sharing living spaces like bedroom, bathroom, kitchen, etc.), then your day of last exposure would be that person's last day of isolation (i.e. contagious period). This means you would quarantine throughout that person's 5-10 day isolation period AND your 5-10 day quarantine period (totaling 10-20 days in quarantine).

Quarantine: Close Contact who is unvaccinated

I'm a **close contact** to (but do not live with) someone who tested positive for COVID-19 and I received my dose of Johnson & Johnson more than 2 months ago and I do not have my booster vaccine yet



* "Day of last exposure" is the last time you were around someone who has tested positive for COVID-19. If you are a household member to someone who tested positive for COVID-19 and you cannot quarantine completely separately from them members (i.e. not sharing living spaces like bedroom, bathroom, kitchen, etc.), then your day of last exposure would be that person's last day of isolation (i.e. contagious period). This means you would quarantine throughout that person's 5-10 day isolation period AND your 5-10 day quarantine period (totaling 10-20 days in quarantine).

Quarantine: Close Contact with booster or confirmed COVID-19 in last 90 days



I'm a **close contact** to (but do not live with) someone who tested positive for COVID-19 and I have received my booster dose or I had **CONFIRMED COVID-19 within the last 90 days.**

I have **no symptoms**

I have **symptoms**

May continue as normal while wearing a well-fitting mask for 10 days and monitor for symptoms. If possible limit interactions with others. Seek testing at least 5 days after your day of last exposure*. After day 10, continue to wear a mask as required in Washington State. If you develop symptoms, seek testing as soon as possible and follow the right side of this tree.

Isolate for 5 days from when symptoms began and seek testing

Test negative or choose not to test

Test positive

Test negative

Test positive or choose not to test

Continue monitoring for symptoms and wearing a well-fitting mask until day 11.

Follow the "I have no symptoms" branch of the Isolation Tree.

Stay home until symptoms have improved and you haven't had a fever for at least 24 hours. Wear a well-fitting mask until day 11.

Follow the "I have symptoms" branch of the Isolation Tree.